NOTICE TO DITCH CONTRACTORS.

matter, commencing at ಶಿಗಡಿ **also** e R date the 20th day of August, establi shedby Anoka County, Minnesota, o'clock A. said main ditch and branches thereof ಲ ೦ ೮ o o Notice is hereby be known and numbered by the stakes as shown ဝှု one or more linear sections thereof, each of which sections is 100 feet long digging and constructing repairs M. the at the office of the county auditor in the court and from Board of County designated and the given that the Board of County Commissioners will sell at public auction 900 thence successively 1917, and bids also are invited for the work as one including on Wednesday, Commissioners of Anoka County by TAMO TO the eo Eo County Ditch No. 41 of the main ditch and branches source down stream to the one including the 3rd day of October, Of C by the each report O H eda house in the City of sai d of the engineer o H their order said 1917, main င္က ditch at bibron that the outlet bearing County, in said

Ë said engineer's report, and no bid will be entertained which exceeds 30 per cent Said work must be completed within the time required, estimated cost S S stated in said engineer's report. and in the manner specified

8 conditioned as provided by law his contract and pay all damages contract eq1 not less than the persons who may show County in the manner and within the time required in his contract The saccessful bidder will 0 Anoka, and conditioned that said contract price with not State of Minnesota, for the use of said county and also bond themselves be required to give a satisfactory bond in the given; that may accrue by reason s aggrieved or : 9प्र said contractor shall faithfully perform and fulfill parod less than shall injured by any breach ග ට, two freehold sureties, subject of his therefor, failure c† O the thereof Teacadde and otherwise for the use payable penal 0 o Fa OH, MUNE 941

the county auditor's engineer's office in the court report, estimates house in the City of Anoka pae profiles OTE 8 file

47,964 \$853.40. The estimated Concrete yds., Ditch balance @ CT . length KOQ KOQ amount et E clean culvert 4 \$8992.45. 12 of work to be out stations. ₩ ۠ work. 111 stations handwork, 4267 Åq. 64 64 64 8 done ∞ 320 다 e e and the estimated stations 0000 c† O 10 at \$500. H) et e suitable for bottom, Clearing estimated at 3000 cu. yds., 4 to 10 dry thereof land ₽**)** ۠ • @ @ c† • cut,1;1 slope

Total estimate of Main Ditch \$10,396.85.

branches \$3207.55. 14,398 cu. for 360 sta. handwork, 2 ft. and 3 ft. bottom, average cut 3 ft., one mile new work, dry land machine, 6 ft. Branches 1, yds. est. at \$2693.15, clearing and culverts \$127.00. 2, 3, 4, 5, 7, 8, 9, length 381 stations. bottom, average cut 4 ft., 1937 cu.yds. est. at \$387.40; 21 sta. of Branch 3 suitable Total estimate

cent of the amount of said bid. certified check payable to the county auditor of said county for not less than ten per The sale of jobs shall be public and all sales or bids must The right to reject any or all bids is reserved. be accompanied by a

Dated at Anoka, Minnesota, this lat day of September 1917.

ARTHUR A. CASWELL,
County Auditor,
by Carrie Starrett Piper,
Deputy.

(Publish Sep. 4, 11, 18)

(25 copies to county auditor at once)

21 star of on 3 - suitable for 360 Sla For That estimate of ma oncrete But culment 4' by 8' est. a 500 1937 aylo est. @ 387.40 III Sta- Landwork 14,398 ev. ys whe 2693.15 Branches 1. 2, 3, 4, 5, 7, 8, 9, length for drughand dre dage -8 to 10' Botton Markys - Imilo new work balance clear m - 450 10° cut 1:1 slepee - 47964 ev. 4 dl sesto or B Ength 431 stations, 320 statio - 4267 wyle sot. at 853.40 Witch = 10,396.85 2+3' Goldon dry land machin 4 5 5 1 0 1 4 d Cleary sale 51.00 Nitch 381 Sta. 47964 any we sake n He . 0 6. B. R. A F E